		CLASSIFICATION 559466		25X1
COUNTRY	East Cormany	REPORT		25 <b>X</b> 1
Subject		PLACE ACQUIRE LAST REPORT ON SUBJEC (If applicable)	CED CE	25X1 25X1 25X1
		No. of Pages 2		
v about all an analysis and	This is UNEVALU	JATED Information	in delegative del establishe del secono e central e	TO MANAGEME

le About late October/carly November 1955, the construction of a large radio installation was observed in the crea of the fire "Schumke Lager" (engineer camp) near Sperenberg. The installation was being set up by Soviet soldiers and permaently guarded by three double songries.

25X1


25X1

- 2. The radio installation consisted of 4 wooden maste such about 25 m high, 35 to 40 m apart and arranged in a line. The line of masts extended from south-west to north-cast. The first test was within the Schunke-Lager, about 100 m sast of the north-rest of the north-rest of the north-rest of the narrow-gauge railroad bridge across the ditch which antends from hummersdors to Sperenberg.
- 3. Between the masts cagsultke wire devices were extended and a single-wire lead ran to the ground from a point in the middle of two masts.
- A. From the antenna mast which was placed nearest to "Treibrucckeu" a double circuit extended to a worden box measuring good for to x to x 100 em and from there to an over-headling continuing of four wires which extended in a south-westerly direction over the road from there to the vicinity of the youth heatel to the north-west. The two pairs of two bare copper wires each arranged above each other on the two sides of the mast rive connected by square plates, the sides of which were about 20 cm long. The plates were placed two meters apart.
- 5. Two other lines of the same type extended to the Schunke Lager. These two lines consisting of four wires each joined, after some distance, into one line of 8 wires and then extended to the chap. There it ended in a building near Lake Schunke.
- 6. At a later period, two new radio masts were set up in the area of Camp Schunke, opposite of the south-western mast of the anteng. installation described above. The dages of the new antenna system were oriented diagonally to those of the former radio installation. The two masts were about 25 m high and 30 to 40 m spart. The antenna system consisted of two cages of the same type as those

বর্গুকার্ক্ট্রন	

Approved For Release 2008/01/25 : CIA-RDP83-00418R005200120002-8 25X1 SECHER 25X1 described above. Over-head-lines extended in the direction of Lake Schumke from the two new masts which were from 50 to 100 m distant from the large antenna installation. The buildings located in the vicinity of the youth hostel and a large area were being surrounded with a Lestrand barbed wire fence. Sentwice were observed patrolling along the fences. 25**X**1 SECRET 25X1

Approved For Release 2008/01/25 : CIA-RDP83-00418R005200120002-8



Approved For Release 2008/01/25 : CIA-RDP83-00418R005200120002-8